



## EnergySmart Schools Benchmark For Allen W. Roberts Elementary School



## EnergySmart Schools Benchmark For New Providence High/Middle School

Schools	U.S. EPA Portfolio Manager Score	NJ State Schools (Annual Data)					
		Total Energy Use (kBtu/sq.ft.)	Electric Use (kWh/sq.ft.)	Heating Fuel Use (kBtu/sq.ft.)	Weather Adjusted Heating Fuel Use (Btu/sq.ft./HDD)	Total Energy Cost (\$/sq.ft.)	Total Energy Cost (\$/student)
NJ Average:	50	80.9	6.7	54.6	12.0	\$1.90	\$260
<b>You:</b>	<b>87</b>	<b>61.9</b>	<b>5.9</b>	<b>41.9</b>	<b>9.4</b>	<b>\$1.50</b>	<b>\$283</b>

**New Providence High School / Middle School Percentile Ranking**



## EnergySmart Schools Benchmark For Salt Brook Elementary School

Schools	U.S. EPA Portfolio Manager Score	NJ State Schools (Annual Data)					
		Total Energy Use (kBtu/sq.ft.)	Electric Use (kWh/sq.ft.)	Heating Fuel Use (kBtu/sq.ft.)	Weather Adjusted Heating Fuel Use (Btu/sq.ft./HDD)	Total Energy Cost (\$/sq.ft.)	Total Energy Cost (\$/student)
NJ Average:	50	80.9	6.7	54.6	12.0	\$1.90	\$260
<b>You:</b>	<b>74</b>	<b>42.6</b>	<b>5.4</b>	<b>24.2</b>	<b>5.4</b>	<b>\$1.19</b>	<b>\$179</b>

